

Canadian Mainline Fuel Rates August 2001



| The Fuel Rate (%) | Point From | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|------------|------------|------------|----------|---------|---------------|-----------|-----------|---------|----------|----------|------------|------------|---------------|--------------|----------|-----------|-----------|-----------|----------|----------|-------------|--------------|-------------|---------|----------|------------|--------------------|--------|------|
| Point To | Empress | Bayhurst 1 | Bayhurst 2 | Chippawa | Conwall | East Hereford | Emerson 1 | Emerson 2 | Herbert | Iroquois | Kirkwall | Liabenthal | Naperville | Niagara Falls | Phillipsburg | Richmond | Sabrevois | St. Marie | St. Clair | Steelman | STS Dawn | STS Emerson | STS Kirkwall | STS Parkway | Success | Suffield | Union Dawn | Union Parkway Belt | Wekwyn | |
| Bayhurst 1 | 0.86 | *** | *** | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | *** | *** | *** | *** | BH | BH | BH | BH | BH | |
| Bayhurst 2 | 0.86 | *** | *** | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | *** | *** | *** | *** | BH | BH | BH | BH | BH | |
| Centram MDA | 1.58 | 1.53 | 1.53 | BH | BH | BH | BH | BH | 1.23 | BH | BH | 1.50 | BH | BH | BH | 1.58 | BH | BH | BH | 0.87 | *** | 0.00 | *** | *** | 1.33 | 1.58 | BH | BH | 0.45 | |
| Centram SSSDA | 0.86 | 0.81 | 0.81 | BH | BH | BH | BH | BH | 0.50 | BH | BH | 0.78 | BH | BH | BH | 0.86 | BH | BH | BH | 0.15 | *** | *** | *** | *** | 0.61 | 0.86 | BH | BH | BH | |
| Centram CDA | 5.44 | 5.38 | 5.38 | 0.53 | 0.95 | 1.62 | 3.45 | 3.45 | 5.08 | 0.88 | 0.35 | 5.36 | 1.24 | 0.53 | 1.27 | 5.43 | 1.22 | 1.78 | 0.74 | 4.73 | *** | *** | *** | 0.00 | 5.19 | 5.44 | 0.70 | 0.28 | 4.31 | |
| Centram EDA | 5.44 | 5.38 | 5.38 | 0.79 | 0.20 | 0.87 | 3.85 | 3.85 | 5.08 | 0.14 | 0.61 | 5.36 | 0.49 | 0.79 | 0.53 | 5.43 | 0.47 | 2.07 | 1.01 | 4.73 | *** | *** | *** | 0.53 | 5.19 | 5.44 | 0.96 | 0.54 | 4.31 | |
| Centram NDA | 4.28 | 4.22 | 4.22 | 1.21 | BH | BH | 2.77 | 2.77 | 3.92 | BH | 1.03 | 4.20 | BH | 1.21 | BH | 4.28 | BH | 2.49 | 1.43 | 3.57 | *** | *** | *** | *** | 0.00 | 4.03 | 4.28 | 1.38 | 0.96 | 3.15 |
| Centram SSMMDA | 4.28 | 4.22 | 4.22 | 1.63 | 2.35 | 3.01 | 2.06 | 2.06 | 3.92 | 2.27 | 1.41 | 4.20 | 2.64 | 1.62 | 2.67 | 4.28 | 2.61 | 0.00 | 1.02 | 3.57 | 0.00 | *** | *** | 0.00 | 4.03 | 4.28 | 1.07 | 1.49 | 3.15 | |
| Centram W DA | 2.73 | 2.67 | 2.67 | 2.94 | BH | BH | 1.12 | 1.12 | 2.37 | BH | 2.76 | 2.65 | BH | 2.93 | BH | 2.72 | BH | 3.27 | 3.10 | 2.02 | *** | *** | *** | 0.00 | 2.48 | 2.72 | 3.07 | 2.69 | 1.60 | |
| Centram MDA | 1.58 | 1.53 | 1.53 | 3.70 | BH | BH | 0.20 | 0.20 | 1.23 | BH | 3.49 | 1.50 | BH | 3.70 | BH | 1.58 | BH | 2.30 | 3.10 | 0.87 | *** | *** | *** | *** | 1.33 | 1.58 | 3.14 | 3.56 | 0.45 | |
| Chippawa | 5.52 | 5.46 | 5.46 | *** | 1.08 | 1.72 | 3.44 | 3.44 | 5.16 | 0.98 | 0.15 | 5.44 | 1.34 | 0.01 | 1.37 | 5.51 | 1.32 | 1.61 | 0.54 | 4.81 | *** | *** | *** | *** | 5.27 | 5.51 | 0.50 | 0.19 | 4.39 | |
| Consumers CDA | 5.44 | 5.38 | 5.38 | 0.26 | 0.76 | 1.42 | 3.44 | 3.44 | 5.08 | 0.68 | 0.15 | 5.36 | 1.05 | 0.25 | 1.08 | 5.43 | 1.02 | 1.60 | 0.54 | 4.73 | *** | *** | 0.00 | 0.00 | 5.19 | 5.44 | 0.50 | 0.08 | 4.31 | |
| Consumers EDA | 5.44 | 5.38 | 5.38 | 1.07 | 0.16 | 0.82 | 3.87 | 3.87 | 5.08 | 0.11 | 0.89 | 5.36 | 0.45 | 1.06 | 0.48 | 5.43 | 0.42 | 2.34 | 1.29 | 4.73 | *** | *** | *** | 0.23 | 5.19 | 5.44 | 1.24 | 0.82 | 4.31 | |
| Consumers SW DA | 5.44 | 5.38 | 5.38 | BH | 1.22 | 1.89 | 2.88 | 2.88 | 5.08 | 1.15 | BH | 5.36 | 1.51 | BH | 1.54 | 5.43 | 1.49 | 1.05 | 0.00 | 4.73 | *** | *** | *** | *** | 5.19 | 5.44 | BH | 0.36 | 4.31 | |
| Conwall | 5.67 | 5.61 | 5.61 | 1.05 | *** | 0.60 | 3.98 | 3.98 | 5.31 | 0.03 | 0.87 | 5.59 | BH | 1.05 | BH | 5.67 | BH | 2.33 | 1.27 | 4.96 | *** | *** | *** | 0.80 | 5.42 | 5.67 | 1.22 | 0.80 | 4.54 | |
| East Hereford | 6.33 | 6.28 | 6.28 | 1.72 | 0.60 | *** | 4.64 | 4.64 | 5.98 | 0.69 | 1.54 | 6.25 | 0.66 | 1.71 | 0.69 | 6.33 | 0.63 | 2.99 | 1.93 | 5.62 | *** | *** | *** | *** | 6.08 | 6.33 | 1.89 | 1.47 | 5.20 | |
| Emerson 1 | 1.83 | 1.78 | 1.78 | BH | 3.98 | 4.64 | *** | 0.00 | 1.48 | 3.92 | BH | 1.75 | 4.27 | BH | 4.30 | 1.83 | 4.24 | BH | BH | 1.12 | *** | *** | *** | *** | 1.58 | 1.83 | BH | 3.30 | 0.70 | |
| Emerson 2 | 1.83 | 1.78 | 1.78 | BH | 3.98 | 4.64 | 0.00 | *** | 1.48 | 3.92 | BH | 1.75 | 4.27 | BH | 4.30 | 1.83 | 4.24 | BH | BH | 1.12 | *** | *** | *** | *** | 1.58 | 1.83 | BH | 3.30 | 0.70 | |
| Glaston MDA | 1.58 | 1.53 | 1.53 | BH | BH | BH | BH | BH | 1.23 | BH | BH | 1.50 | BH | BH | BH | 1.58 | BH | BH | BH | 0.87 | *** | *** | *** | *** | 1.33 | 1.58 | BH | BH | 0.45 | |
| GMT EDA | 5.44 | 5.38 | 5.38 | 1.27 | 0.25 | 0.51 | 4.29 | 4.29 | 5.08 | 0.34 | 1.18 | 5.36 | 0.25 | 1.36 | 0.27 | 5.43 | 0.21 | 2.64 | 1.57 | 4.73 | *** | *** | *** | 1.11 | 5.19 | 5.44 | 1.53 | 1.11 | 4.31 | |
| GMT NDA | 4.28 | 4.22 | 4.22 | 1.09 | 1.03 | 1.70 | 2.94 | 2.94 | 3.92 | 0.98 | 0.91 | 4.20 | 1.32 | 1.09 | 1.35 | 4.28 | 1.30 | 2.37 | 1.31 | 3.57 | *** | *** | *** | 0.00 | 4.03 | 4.28 | 1.26 | 0.84 | 3.15 | |
| Herbert | 0.86 | 0.81 | 0.81 | BH | BH | BH | BH | BH | *** | BH | BH | 0.78 | BH | BH | BH | 0.86 | BH | BH | BH | BH | *** | *** | *** | *** | 0.05 | 0.86 | BH | BH | BH | |
| Iroquois | 5.53 | 5.47 | 5.47 | 0.98 | 0.03 | 0.69 | 3.92 | 3.92 | 5.17 | *** | 0.80 | 5.45 | 0.32 | 0.97 | 0.35 | 5.52 | 0.29 | 2.25 | 1.19 | 4.82 | *** | *** | *** | *** | 5.28 | 5.52 | 1.15 | 0.73 | 4.40 | |
| KPUC EDA | 5.44 | 5.38 | 5.38 | 0.75 | 0.24 | 0.90 | 3.86 | 3.86 | 5.08 | 0.17 | 0.57 | 5.36 | 0.53 | 0.75 | 0.56 | 5.43 | 0.50 | 2.03 | 0.97 | 4.73 | *** | *** | *** | 0.50 | 5.19 | 5.44 | 0.92 | 0.50 | 4.31 | |
| Naperville | 5.96 | 5.90 | 5.90 | 1.34 | 0.23 | 0.66 | 4.27 | 4.27 | 5.60 | 0.32 | 1.16 | 5.88 | *** | 1.34 | 0.11 | 5.96 | 0.05 | 2.62 | 1.56 | 5.25 | *** | *** | *** | *** | 5.71 | 5.96 | 1.51 | 1.09 | 4.83 | |
| Niagara Falls | 5.51 | 5.46 | 5.46 | 0.01 | 1.08 | 1.71 | 3.44 | 3.44 | 5.16 | 0.97 | 0.15 | 5.43 | 1.34 | *** | 1.37 | 5.51 | 1.31 | 1.60 | 0.54 | 4.80 | *** | *** | *** | *** | 5.26 | 5.51 | 0.50 | 0.19 | 4.38 | |
| Phillipsburg | 5.99 | 5.94 | 5.94 | 1.37 | 0.26 | 0.69 | 4.30 | 4.30 | 5.64 | 0.35 | 1.20 | 5.91 | 0.11 | 1.37 | *** | 5.99 | 0.00 | 2.65 | 1.59 | 5.28 | *** | *** | *** | 1.12 | 5.74 | 5.99 | 1.54 | 1.12 | 4.86 | |
| Sabrevois | 5.93 | 5.88 | 5.88 | 1.32 | 0.20 | 0.63 | 4.24 | 4.24 | 5.58 | 0.29 | 1.14 | 5.85 | 0.05 | 1.31 | 0.00 | 5.93 | *** | 2.59 | 1.53 | 5.22 | *** | *** | *** | *** | 5.68 | 5.93 | 1.49 | 1.07 | 4.80 | |
| Spuce | 1.79 | 1.74 | 1.74 | 3.70 | BH | BH | 0.20 | 0.20 | 1.44 | BH | 3.49 | 1.71 | BH | 3.70 | BH | 5.85 | BH | 2.30 | 3.10 | 1.08 | *** | *** | *** | *** | 1.54 | 1.79 | 3.14 | 3.56 | 0.66 | |
| St. Clair | 4.73 | 4.67 | 4.67 | BH | 1.27 | 1.93 | *** | *** | 4.37 | 1.19 | BH | 4.65 | 1.56 | BH | 1.59 | 4.73 | 1.53 | *** | *** | 4.02 | *** | *** | *** | *** | 4.48 | 4.73 | BH | 0.40 | 3.60 | |
| TCPL NDA | 4.28 | 4.22 | 4.22 | 1.47 | BH | BH | 2.51 | 2.51 | 3.92 | BH | 1.29 | 4.20 | BH | 1.47 | BH | 4.28 | BH | 2.75 | 1.69 | 3.57 | *** | *** | *** | *** | 4.03 | 4.28 | 1.64 | 1.22 | 3.15 | |
| TCPL W DA | 2.73 | 2.67 | 2.67 | 2.57 | BH | BH | 1.41 | 1.41 | 2.37 | BH | 2.39 | 2.65 | BH | 2.56 | BH | 2.72 | BH | 3.51 | 2.78 | 2.02 | *** | *** | *** | *** | 2.48 | 2.72 | 2.74 | 2.32 | 1.60 | |
| TPLP NDA | 4.28 | 4.22 | 4.22 | 1.96 | BH | BH | 2.02 | 2.02 | 3.92 | BH | 1.78 | 4.20 | BH | 1.95 | BH | 4.28 | BH | 3.23 | 2.17 | 3.57 | *** | *** | *** | *** | 4.03 | 4.28 | 2.13 | 1.71 | 3.15 | |
| Transgas SSSDA | 0.86 | 0.81 | 0.81 | BH | BH | BH | BH | BH | 0.50 | BH | BH | 0.78 | BH | BH | BH | 0.86 | BH | BH | BH | 0.15 | *** | *** | *** | *** | 0.61 | 0.86 | BH | BH | BH | |
| Union CDA | 5.44 | 5.38 | 5.38 | 0.18 | 0.81 | 1.48 | 3.30 | 3.30 | 5.08 | 0.74 | 0.01 | 5.36 | 1.10 | 0.18 | 1.14 | 5.43 | 1.08 | 1.47 | 0.40 | 4.73 | *** | *** | *** | *** | 5.19 | 5.44 | 0.36 | 0.00 | 4.31 | |
| Union SW DA | 5.44 | 5.38 | 5.38 | 0.53 | 1.25 | 1.91 | 2.86 | 2.86 | 5.08 | 1.17 | BH | 5.36 | 1.54 | BH | 1.57 | 5.43 | 1.51 | 1.02 | 0.00 | 4.73 | *** | *** | *** | *** | 5.19 | 5.44 | BH | 0.39 | 4.31 | |
| Wekwyn | 0.86 | 0.81 | 0.81 | BH | BH | BH | BH | BH | 0.50 | BH | BH | 0.78 | BH | BH | BH | 0.86 | BH | BH | BH | 0.15 | *** | *** | *** | *** | 0.61 | 0.86 | BH | BH | *** | |

| | |
|---------------|------|
| Not Valid | *** |
| Backhaul | BH |
| Chippawa | 0.48 |
| Emerson 1 | 0.09 |
| Emerson 2 | 0.09 |
| Iroquois | 0.50 |
| Niagara Falls | 0.10 |

This page is maintained by Alan Matheson 920-6256. For fuel rates questions, please call Winston Mavin at 920-7149

Pressure Fuel must be added at these points