

Canadian Mainline Fuel Rates Feb 2002



| The Fuel Ratio (%) | Point From | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|------------|---------|------------|------------|----------|----------|---------------|-----------|-----------|---------|----------|----------|-----------|-------------|---------------|--------------|----------|-----------|----------|-----------|----------|----------|-------------|--------------|-------------|---------|----------|------------|--------------------|--------|
| Point To | | Empress | Bayhurst 1 | Bayhurst 2 | Chippawa | Cornwall | East Hereford | Emerson 1 | Emerson 2 | Herbert | Iroquois | Kirkwall | Liebertal | Napierville | Niagara Falls | Phillipsburg | Richmond | Sabrevois | SS Marie | St. Clair | Steelman | STS Dawn | STS Emerson | STS Kirkwall | STS Parkway | Success | Suffield | Union Dawn | Union Parkway Belt | Welwyn |
| Bayhurst 1 | 1.20 | *** | *** | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | *** | *** | *** | *** | BH | BH | BH | BH | BH |
| Bayhurst 2 | 1.20 | *** | *** | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | *** | *** | *** | *** | BH | BH | BH | BH | BH |
| Centram MDA | 1.90 | 1.85 | 1.85 | BH | BH | BH | BH | BH | 1.55 | BH | BH | 1.83 | BH | BH | BH | 1.90 | BH | BH | BH | BH | 1.21 | *** | 0.00 | *** | *** | 1.66 | 1.90 | BH | BH | 0.79 |
| Centram SSSDA | 1.20 | 1.14 | 1.14 | BH | BH | BH | BH | BH | 0.84 | BH | BH | 1.12 | BH | BH | BH | 1.19 | BH | BH | BH | BH | 0.49 | *** | *** | *** | *** | 0.95 | 1.19 | BH | BH | BH |
| Centrao CDA | 5.69 | 5.64 | 5.64 | 0.87 | 1.28 | 1.94 | 3.74 | 3.74 | 5.34 | 1.22 | 0.69 | 5.61 | 1.57 | 0.86 | 1.60 | 5.69 | 1.54 | 2.10 | 1.08 | 4.99 | *** | *** | *** | 0.00 | 5.45 | 5.69 | 1.04 | 0.62 | 4.58 | |
| Centrao EDA | 5.69 | 5.64 | 5.64 | 1.13 | 0.55 | 1.20 | 4.14 | 4.14 | 5.34 | 0.47 | 0.95 | 5.61 | 0.83 | 0.21 | 0.87 | 5.69 | 0.81 | 2.38 | 1.34 | 4.99 | *** | *** | *** | 0.87 | 5.45 | 5.69 | 1.29 | 0.88 | 4.58 | |
| Centrao NDA | 4.55 | 4.50 | 4.50 | 1.54 | BH | BH | 3.07 | 3.07 | 4.20 | BH | 1.36 | 4.47 | BH | 1.54 | BH | 4.55 | BH | 2.79 | 1.75 | 3.86 | *** | *** | *** | 0.00 | 4.31 | 4.55 | 1.71 | 1.29 | 3.44 | |
| Centrao SSSDA | 4.55 | 4.50 | 4.50 | 1.95 | 2.66 | 3.31 | 2.37 | 2.37 | 4.20 | 2.58 | 1.74 | 4.47 | 2.94 | 1.94 | 2.97 | 4.55 | 2.91 | 0.11 | 1.35 | 3.86 | 0.00 | *** | *** | 0.00 | 4.31 | 4.55 | 1.40 | 1.81 | 3.44 | |
| Centrao WDA | 3.03 | 2.97 | 2.97 | 3.24 | BH | BH | 1.45 | 1.45 | 2.68 | BH | 3.06 | 2.95 | BH | 3.23 | BH | 3.02 | BH | 3.57 | 3.40 | 2.33 | *** | *** | *** | 0.00 | 2.78 | 3.02 | 3.36 | 2.99 | 1.92 | |
| Centrat MDA | 1.90 | 1.85 | 1.85 | 3.99 | BH | BH | 0.55 | 0.55 | 1.55 | BH | 3.78 | 1.83 | BH | 3.98 | BH | 1.90 | BH | 2.61 | 3.39 | 1.21 | *** | *** | *** | *** | 1.66 | 1.90 | 3.44 | 3.85 | 0.79 | |
| Chippawa | 5.77 | 5.72 | 5.72 | *** | 1.41 | 2.04 | 3.73 | 3.73 | 5.42 | 1.31 | 0.49 | 5.69 | 1.67 | 0.36 | 1.70 | 5.77 | 1.64 | 1.93 | 0.88 | 5.07 | *** | *** | *** | *** | 5.52 | 5.77 | 0.84 | 0.54 | 4.66 | |
| Consumers CDA | 5.69 | 5.64 | 5.64 | 0.60 | 1.09 | 1.74 | 3.73 | 3.73 | 5.34 | 1.02 | 0.47 | 5.61 | 1.38 | 0.59 | 1.41 | 5.69 | 1.35 | 1.92 | 0.88 | 4.99 | *** | *** | 0.07 | 0.07 | 5.45 | 5.69 | 0.84 | 0.33 | 4.58 | |
| Consumers EDA | 5.69 | 5.64 | 5.64 | 1.40 | 0.51 | 1.15 | 4.15 | 4.15 | 5.34 | 0.41 | 1.22 | 5.61 | 0.79 | 1.39 | 0.82 | 5.69 | 0.76 | 2.65 | 1.61 | 4.99 | *** | *** | *** | 0.58 | 5.45 | 5.69 | 1.56 | 1.15 | 4.58 | |
| Consumers SWDA | 5.69 | 5.64 | 5.64 | BH | 1.55 | 2.20 | 3.18 | 3.18 | 5.34 | 1.48 | BH | 5.61 | 1.83 | BH | 1.87 | 5.69 | 1.81 | 1.38 | 0.15 | 4.99 | *** | *** | *** | *** | 5.45 | 5.69 | BH | 0.70 | 4.58 | |
| Cornwall | 5.92 | 5.86 | 5.86 | 1.38 | *** | 0.94 | 4.26 | 4.26 | 5.57 | 0.25 | 1.21 | 5.84 | BH | 1.38 | BH | 5.92 | BH | 2.64 | 1.59 | 5.22 | *** | *** | *** | 1.14 | 5.67 | 5.92 | 1.55 | 1.14 | 4.81 | |
| East Hereford | 6.57 | 6.52 | 6.52 | 2.04 | 0.94 | *** | 4.91 | 4.91 | 6.22 | 1.03 | 1.86 | 6.49 | 1.00 | 2.03 | 1.03 | 6.57 | 0.97 | 3.29 | 2.25 | 5.87 | *** | *** | *** | *** | 6.33 | 6.57 | 2.20 | 1.79 | 5.46 | |
| Emerson 1 | 2.15 | 2.09 | 2.09 | BH | 4.26 | 4.91 | *** | 0.00 | 1.80 | 4.20 | BH | 2.07 | 4.54 | BH | 4.57 | 2.15 | 4.52 | BH | BH | 1.45 | *** | *** | *** | *** | 1.90 | 2.15 | BH | 3.59 | 1.04 | |
| Emerson 2 | 2.15 | 2.09 | 2.09 | BH | 4.26 | 4.91 | 0.00 | *** | 1.80 | 4.20 | BH | 2.07 | 4.54 | BH | 4.57 | 2.15 | 4.52 | BH | BH | 1.45 | *** | *** | *** | *** | 1.90 | 2.15 | BH | 3.59 | 1.04 | |
| Gladstone MDA | 1.90 | 1.85 | 1.85 | BH | BH | BH | BH | BH | 1.55 | BH | BH | 1.83 | BH | BH | BH | 1.90 | BH | BH | BH | 1.21 | *** | *** | *** | *** | 1.66 | 1.90 | BH | BH | 0.79 | |
| GMIT EDA | 5.69 | 5.64 | 5.64 | 1.60 | 0.59 | 0.85 | 4.56 | 4.56 | 5.34 | 0.68 | 1.51 | 5.61 | 0.59 | 1.68 | 0.62 | 5.69 | 0.56 | 2.94 | 1.90 | 4.99 | *** | *** | *** | 1.44 | 5.45 | 5.69 | 1.85 | 1.44 | 4.58 | |
| GMIT NDA | 4.55 | 4.50 | 4.50 | 1.42 | 1.36 | 2.02 | 3.24 | 3.24 | 4.20 | 1.31 | 1.25 | 4.47 | 1.65 | 1.42 | 1.68 | 4.55 | 1.62 | 2.68 | 1.63 | 3.86 | *** | *** | *** | 0.00 | 4.31 | 4.55 | 1.59 | 1.18 | 3.44 | |
| Herbert | 1.20 | 1.14 | 1.14 | BH | BH | BH | BH | BH | *** | BH | BH | 1.12 | BH | BH | BH | 1.19 | BH | BH | BH | BH | *** | *** | *** | *** | 0.27 | 1.19 | BH | BH | BH | |
| Iroquois | 5.78 | 5.72 | 5.72 | 1.31 | 0.25 | 1.03 | 4.20 | 4.20 | 5.43 | *** | 1.13 | 5.70 | 0.66 | 1.31 | 0.69 | 5.78 | 0.64 | 2.56 | 1.52 | 5.08 | *** | *** | *** | *** | 5.53 | 5.78 | 1.48 | 1.07 | 4.67 | |
| KPUC EDA | 5.69 | 5.64 | 5.64 | 1.09 | 0.58 | 1.24 | 4.14 | 4.14 | 5.34 | 0.51 | 0.91 | 5.61 | 0.87 | 1.08 | 0.90 | 5.69 | 0.84 | 2.34 | 1.30 | 4.99 | *** | *** | *** | 0.84 | 5.45 | 5.69 | 1.25 | 0.84 | 4.58 | |
| Napierville | 6.20 | 6.15 | 6.15 | 1.67 | 0.58 | 1.00 | 4.54 | 4.54 | 5.85 | 0.66 | 1.49 | 6.13 | *** | 1.66 | 0.41 | 6.20 | 0.29 | 2.92 | 1.88 | 5.51 | *** | *** | *** | *** | 5.96 | 6.20 | 1.83 | 1.42 | 5.09 | |
| Niagara Falls | 5.77 | 5.71 | 5.71 | 0.21 | 1.41 | 2.03 | 3.73 | 3.73 | 5.42 | 1.31 | 0.47 | 5.69 | 1.66 | *** | 1.69 | 5.76 | 1.64 | 1.92 | 0.88 | 5.07 | *** | *** | *** | *** | 5.52 | 5.76 | 0.84 | 0.53 | 4.65 | |
| Phillipsburg | 6.24 | 6.18 | 6.18 | 1.70 | 0.61 | 1.03 | 4.57 | 4.57 | 5.89 | 0.69 | 1.52 | 6.16 | 0.41 | 1.69 | *** | 6.23 | 0.19 | 2.95 | 1.91 | 5.54 | *** | *** | *** | 1.45 | 5.99 | 6.23 | 1.87 | 1.45 | 5.12 | |
| Sabrevois | 6.18 | 6.12 | 6.12 | 1.64 | 0.55 | 0.97 | 4.52 | 4.52 | 5.83 | 0.64 | 1.47 | 6.10 | 0.29 | 1.64 | 0.19 | 6.18 | *** | 2.89 | 1.85 | 5.48 | *** | *** | *** | *** | 5.93 | 6.18 | 1.81 | 1.40 | 5.07 | |
| Spruce | 2.11 | 2.06 | 2.06 | 3.99 | BH | BH | 0.55 | 0.55 | 1.76 | BH | 3.78 | 2.03 | BH | 3.98 | BH | 6.10 | BH | 2.61 | 3.39 | 1.41 | *** | *** | *** | *** | 1.87 | 2.11 | 3.44 | 3.85 | 1.00 | |
| St. Clair | 5.00 | 4.94 | 4.94 | BH | 1.59 | 2.25 | *** | *** | 4.65 | 1.52 | BH | 4.92 | 1.88 | BH | 1.91 | 4.99 | 1.85 | *** | *** | 4.30 | *** | *** | *** | *** | 4.75 | 4.99 | BH | 0.75 | 3.89 | |
| TCPL NDA | 4.55 | 4.50 | 4.50 | 1.80 | BH | BH | 2.81 | 2.81 | 4.20 | BH | 1.62 | 4.47 | BH | 1.79 | BH | 4.55 | BH | 3.05 | 2.01 | 3.86 | *** | *** | *** | *** | 4.31 | 4.55 | 1.96 | 1.55 | 3.44 | |
| TCPL WDA | 3.03 | 2.97 | 2.97 | 2.87 | BH | BH | 1.74 | 1.74 | 2.68 | BH | 2.70 | 2.95 | BH | 2.87 | BH | 3.02 | BH | 3.80 | 3.08 | 2.33 | *** | *** | *** | *** | 2.78 | 3.02 | 3.04 | 2.63 | 1.92 | |
| TPLP NDA | 4.55 | 4.50 | 4.50 | 2.27 | BH | BH | 2.34 | 2.34 | 4.20 | BH | 2.09 | 4.47 | BH | 2.27 | BH | 4.55 | BH | 3.52 | 2.48 | 3.86 | *** | *** | *** | *** | 4.31 | 4.55 | 2.44 | 2.02 | 3.44 | |
| Transgas SSSDA | 1.20 | 1.14 | 1.14 | BH | BH | BH | BH | BH | 0.84 | BH | BH | 1.12 | BH | BH | BH | 1.19 | BH | BH | BH | 0.49 | *** | *** | *** | *** | 0.95 | 1.19 | BH | BH | BH | |
| Union CDA | 5.69 | 5.64 | 5.64 | 0.53 | 1.14 | 1.80 | 3.59 | 3.59 | 5.34 | 1.08 | 0.21 | 5.61 | 1.43 | 0.52 | 1.46 | 5.69 | 1.41 | 1.79 | 0.75 | 4.99 | *** | *** | *** | *** | 5.45 | 5.69 | 0.70 | 0.09 | 4.58 | |
| Union SWDA | 5.69 | 5.64 | 5.64 | BH | 1.57 | 2.23 | 3.15 | 3.15 | 5.34 | 1.50 | BH | 5.61 | 0.21 | BH | 1.89 | 5.69 | 1.83 | 1.35 | 0.11 | 4.99 | *** | *** | *** | *** | 5.45 | 5.69 | BH | 0.73 | 4.58 | |
| Welwyn | 1.20 | 1.14 | 1.14 | BH | BH | BH | BH | BH | 0.84 | BH | BH | 1.12 | BH | BH | BH | 1.19 | BH | BH | BH | 0.49 | *** | *** | *** | *** | 0.95 | 1.19 | BH | BH | *** | |

Not Valid ***

Backhaul BH

This page is maintained by Alan Matheson 920-6256. For fuel rates questions, please call Winston Mavin at 920 7149

Chippawa 0.48
 Emerson 1 0.09
 Emerson 2 0.09
 Iroquois 0.50
 Niagara Falls 0.10

Pressure Fuel must be added at these points

Canadian Mainline Fuel Rates Feb 2002 inc Pressure



| Fuel Ratio Including Pressure | Point From | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|------------|---------|------------|------------|----------|----------|---------------|-----------|-----------|---------|----------|----------|------------|-------------|---------------|-------------|----------|-----------|-----------|-----------|----------|----------|-------------|--------------|-------------|---------|----------|------------|-------------------|--------|
| Point To | | Empress | Bayhurst 1 | Bayhurst 2 | Chippawa | Cornwall | East Hereford | Emerson 1 | Emerson 2 | Herbert | Iroquois | Kirkwall | Liebenthal | Napierville | Niagara Falls | Philipsburg | Richmond | Sabrevois | SS. Marie | St. Clair | Steelman | STS Dawn | STS Emerson | STS Kirkwall | STS Parkway | Success | Suffield | Union Dawn | Union Parkway Bek | Welwyn |
| Bayhurst 1 | 1.20 | *** | *** | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | *** | *** | *** | *** | BH | BH | BH | BH | BH | |
| Bayhurst 2 | 1.20 | *** | *** | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | BH | *** | *** | *** | *** | BH | BH | BH | BH | BH |
| Centram MDA | 1.90 | 1.85 | 1.85 | BH | BH | BH | BH | BH | 1.55 | BH | BH | 1.83 | BH | BH | BH | 1.90 | BH | BH | BH | 1.21 | *** | 0.00 | *** | *** | 1.66 | 1.90 | BH | BH | 0.79 | |
| Centram SSDA | 1.20 | 1.14 | 1.14 | BH | BH | BH | BH | BH | 0.84 | BH | BH | 1.12 | BH | BH | BH | 1.19 | BH | BH | BH | 0.49 | *** | *** | *** | *** | 0.95 | 1.19 | BH | BH | BH | |
| Centrao CDA | 5.69 | 5.64 | 5.64 | 0.87 | 1.28 | 1.94 | 3.74 | 3.74 | 5.34 | 1.22 | 0.69 | 5.61 | 1.57 | 0.86 | 1.60 | 5.69 | 1.54 | 2.10 | 1.08 | 4.99 | *** | *** | *** | 0.00 | 5.45 | 5.69 | 1.04 | 0.62 | 4.58 | |
| Centrao EDA | 5.69 | 5.64 | 5.64 | 1.13 | 0.55 | 1.20 | 4.14 | 4.14 | 5.34 | 0.47 | 0.95 | 5.61 | 0.83 | 0.21 | 0.87 | 5.69 | 0.81 | 2.38 | 1.34 | 4.99 | *** | *** | *** | 0.87 | 5.45 | 5.69 | 1.29 | 0.88 | 4.58 | |
| Centrao NDA | 4.55 | 4.50 | 4.50 | 1.54 | BH | BH | 3.07 | 3.07 | 4.20 | BH | 1.36 | 4.47 | BH | 1.54 | BH | 4.55 | BH | 2.79 | 1.75 | 3.86 | *** | *** | *** | 0.00 | 4.31 | 4.55 | 1.71 | 1.29 | 3.44 | |
| Centrao SSM DA | 4.55 | 4.50 | 4.50 | 1.95 | 2.66 | 3.31 | 2.37 | 2.37 | 4.20 | 2.58 | 1.74 | 4.47 | 2.94 | 1.94 | 2.97 | 4.55 | 2.91 | 0.11 | 1.35 | 3.86 | 0.00 | *** | *** | 0.00 | 4.31 | 4.55 | 1.40 | 1.81 | 3.44 | |
| Centrao WDA | 3.03 | 2.97 | 2.97 | 3.24 | BH | BH | 1.45 | 1.45 | 2.68 | BH | 3.06 | 2.95 | BH | 3.23 | BH | 3.02 | BH | 3.57 | 3.40 | 2.33 | *** | *** | *** | 0.00 | 2.78 | 3.02 | 3.36 | 2.99 | 1.92 | |
| Centrat MDA | 1.90 | 1.85 | 1.85 | 3.99 | BH | BH | 0.55 | 0.55 | 1.55 | BH | 3.78 | 1.83 | BH | 3.98 | BH | 1.90 | BH | 2.61 | 3.39 | 1.21 | *** | *** | *** | *** | 1.66 | 1.90 | 3.44 | 3.85 | 0.79 | |
| Chippawa | 6.25 | 6.20 | 6.20 | *** | 1.89 | 2.52 | 4.21 | 4.21 | 5.90 | 1.79 | 0.97 | 6.17 | 2.15 | 0.84 | 2.18 | 6.25 | 2.12 | 2.41 | 1.36 | 5.55 | *** | *** | *** | *** | 6.00 | 6.25 | 1.32 | 1.02 | 5.14 | |
| Consumers CDA | 5.69 | 5.64 | 5.64 | 0.60 | 1.09 | 1.74 | 3.73 | 3.73 | 5.34 | 1.02 | 0.47 | 5.61 | 1.38 | 0.59 | 1.41 | 5.69 | 1.35 | 1.92 | 0.88 | 4.99 | *** | *** | 0.07 | 0.07 | 5.45 | 5.69 | 0.84 | 0.33 | 4.58 | |
| Consumers EDA | 5.69 | 5.64 | 5.64 | 1.40 | 0.51 | 1.15 | 4.15 | 4.15 | 5.34 | 0.41 | 1.22 | 5.61 | 0.79 | 1.39 | 0.82 | 5.69 | 0.76 | 2.65 | 1.61 | 4.99 | *** | *** | *** | 0.58 | 5.45 | 5.69 | 1.56 | 1.15 | 4.58 | |
| Consumers SWDA | 5.69 | 5.64 | 5.64 | BH | 1.55 | 2.20 | 3.18 | 3.18 | 5.34 | 1.48 | BH | 5.61 | 1.83 | BH | 1.87 | 5.69 | 1.81 | 1.38 | 0.15 | 4.99 | *** | *** | *** | *** | 5.45 | 5.69 | BH | 0.70 | 4.58 | |
| Cornwall | 5.92 | 5.86 | 5.86 | 1.38 | *** | 0.94 | 4.26 | 4.26 | 5.57 | 0.25 | 1.21 | 5.84 | BH | 1.38 | BH | 5.92 | BH | 2.64 | 1.59 | 5.22 | *** | *** | *** | 1.14 | 5.67 | 5.92 | 1.55 | 1.14 | 4.81 | |
| East Hereford | 6.57 | 6.52 | 6.52 | 2.04 | 0.94 | *** | 4.91 | 4.91 | 6.22 | 1.03 | 1.86 | 6.49 | 1.00 | 2.03 | 1.03 | 6.57 | 0.97 | 3.29 | 2.25 | 5.87 | *** | *** | *** | *** | 6.33 | 6.57 | 2.20 | 1.79 | 5.46 | |
| Emerson 1 | 2.24 | 2.18 | 2.18 | BH | 4.35 | 5.00 | *** | 0.09 | 1.89 | 4.29 | BH | 2.16 | 4.63 | BH | 4.66 | 2.24 | 4.61 | BH | BH | 1.54 | *** | *** | *** | *** | 1.99 | 2.24 | BH | 3.68 | 1.13 | |
| Emerson 2 | 2.24 | 2.18 | 2.18 | BH | 4.35 | 5.00 | 0.09 | *** | 1.89 | 4.29 | BH | 2.16 | 4.63 | BH | 4.66 | 2.24 | 4.61 | BH | BH | 1.54 | *** | *** | *** | *** | 1.99 | 2.24 | BH | 3.68 | 1.13 | |
| Gladstone MDA | 1.90 | 1.85 | 1.85 | BH | BH | BH | BH | BH | 1.55 | BH | BH | 1.83 | BH | BH | BH | 1.90 | BH | BH | BH | 1.21 | *** | *** | *** | *** | 1.66 | 1.90 | BH | BH | 0.79 | |
| GMIT EDA | 5.69 | 5.64 | 5.64 | 1.60 | 0.59 | 0.85 | 4.56 | 4.56 | 5.34 | 0.68 | 1.51 | 5.61 | 0.59 | 1.68 | 0.62 | 5.69 | 0.56 | 2.94 | 1.90 | 4.99 | *** | *** | *** | 1.44 | 5.45 | 5.69 | 1.85 | 1.44 | 4.58 | |
| GMIT NDA | 4.55 | 4.50 | 4.50 | 1.42 | 1.36 | 2.02 | 3.24 | 3.24 | 4.20 | 1.31 | 1.25 | 4.47 | 1.65 | 1.42 | 1.68 | 4.55 | 1.62 | 2.68 | 1.63 | 3.86 | *** | *** | *** | 0.00 | 4.31 | 4.55 | 1.59 | 1.18 | 3.44 | |
| Herbert | 1.20 | 1.14 | 1.14 | BH | BH | BH | BH | BH | *** | BH | BH | 1.12 | BH | BH | BH | 1.19 | BH | BH | BH | BH | *** | *** | *** | *** | 0.27 | 1.19 | BH | BH | BH | |
| Iroquois | 6.28 | 6.22 | 6.22 | 1.81 | 0.75 | 1.53 | 4.70 | 4.70 | 5.93 | *** | 1.63 | 6.20 | 1.16 | 1.81 | 1.19 | 6.28 | 1.14 | 3.06 | 2.02 | 5.58 | *** | *** | *** | *** | 6.03 | 6.28 | 1.98 | 1.57 | 5.17 | |
| KPUC EDA | 5.69 | 5.64 | 5.64 | 1.09 | 0.58 | 1.24 | 4.14 | 4.14 | 5.34 | 0.51 | 0.91 | 5.61 | 0.87 | 1.08 | 0.90 | 5.69 | 0.84 | 2.34 | 1.30 | 4.99 | *** | *** | *** | 0.84 | 5.45 | 5.69 | 1.25 | 0.84 | 4.58 | |
| Napierville | 6.20 | 6.15 | 6.15 | 1.67 | 0.58 | 1.00 | 4.54 | 4.54 | 5.85 | 0.66 | 1.49 | 6.13 | *** | 1.66 | 0.41 | 6.20 | 0.29 | 2.92 | 1.88 | 5.51 | *** | *** | *** | *** | 5.96 | 6.20 | 1.83 | 1.42 | 5.09 | |
| Niagara Falls | 5.87 | 5.81 | 5.81 | 0.31 | 1.51 | 2.13 | 3.83 | 3.83 | 5.52 | 1.41 | 0.57 | 5.79 | 1.76 | *** | 1.79 | 5.86 | 1.74 | 2.02 | 0.98 | 5.17 | *** | *** | *** | *** | 5.62 | 5.86 | 0.94 | 0.63 | 4.75 | |
| Philipsburg | 6.24 | 6.18 | 6.18 | 1.70 | 0.61 | 1.03 | 4.57 | 4.57 | 5.89 | 0.69 | 1.52 | 6.16 | 0.41 | 1.69 | *** | 6.23 | 0.19 | 2.95 | 1.91 | 5.54 | *** | *** | *** | 1.45 | 5.99 | 6.23 | 1.87 | 1.45 | 5.12 | |
| Sabrevois | 6.18 | 6.12 | 6.12 | 1.64 | 0.55 | 0.97 | 4.52 | 4.52 | 5.83 | 0.64 | 1.47 | 6.10 | 0.29 | 1.64 | 0.19 | 6.18 | *** | 2.89 | 1.85 | 5.48 | *** | *** | *** | *** | 5.93 | 6.18 | 1.81 | 1.40 | 5.07 | |
| Spruce | 2.11 | 2.06 | 2.06 | 3.99 | BH | BH | 0.55 | 0.55 | 1.76 | BH | 3.78 | 2.03 | BH | 3.98 | BH | 6.10 | BH | 2.61 | 3.39 | 1.41 | *** | *** | *** | *** | 1.87 | 2.11 | 3.44 | 3.85 | 1.00 | |
| St. Clair | 5.00 | 4.94 | 4.94 | BH | 1.59 | 2.25 | *** | *** | 4.65 | 1.52 | BH | 4.92 | 1.88 | BH | 1.91 | 4.99 | 1.85 | *** | *** | 4.30 | *** | *** | *** | *** | 4.75 | 4.99 | BH | 0.75 | 3.89 | |
| TCPL NDA | 4.55 | 4.50 | 4.50 | 1.80 | BH | BH | 2.81 | 2.81 | 4.20 | BH | 1.62 | 4.47 | BH | 1.79 | BH | 4.55 | BH | 3.05 | 2.01 | 3.86 | *** | *** | *** | *** | 4.31 | 4.55 | 1.96 | 1.55 | 3.44 | |
| TCPL WDA | 3.03 | 2.97 | 2.97 | 2.87 | BH | BH | 1.74 | 1.74 | 2.68 | BH | 2.70 | 2.95 | BH | 2.87 | BH | 3.02 | BH | 3.80 | 3.08 | 2.33 | *** | *** | *** | *** | 2.78 | 3.02 | 3.04 | 2.63 | 1.92 | |
| TPLP NDA | 4.55 | 4.50 | 4.50 | 2.27 | BH | BH | 2.34 | 2.34 | 4.20 | BH | 2.09 | 4.47 | BH | 2.27 | BH | 4.55 | BH | 3.52 | 2.48 | 3.86 | *** | *** | *** | *** | 4.31 | 4.55 | 2.44 | 2.02 | 3.44 | |
| Transgas SSDA | 1.20 | 1.14 | 1.14 | BH | BH | BH | BH | BH | 0.84 | BH | BH | 1.12 | BH | BH | BH | 1.19 | BH | BH | BH | 0.49 | *** | *** | *** | *** | 0.95 | 1.19 | BH | BH | BH | |
| Union CDA | 5.69 | 5.64 | 5.64 | 0.53 | 1.14 | 1.80 | 3.59 | 3.59 | 5.34 | 1.08 | 0.21 | 5.61 | 1.43 | 0.52 | 1.46 | 5.69 | 1.41 | 1.79 | 0.75 | 4.99 | *** | *** | *** | *** | 5.45 | 5.69 | 0.70 | 0.09 | 4.58 | |
| Union SWDA | 5.69 | 5.64 | 5.64 | BH | 1.57 | 2.23 | 3.15 | 3.15 | 5.34 | 1.50 | BH | 5.61 | 0.21 | BH | 1.89 | 5.69 | 1.83 | 1.35 | 0.11 | 4.99 | *** | *** | *** | *** | 5.45 | 5.69 | BH | 0.73 | 4.58 | |
| Welwyn | 1.20 | 1.14 | 1.14 | BH | BH | BH | BH | BH | 0.84 | BH | BH | 1.12 | BH | BH | BH | 1.19 | BH | BH | BH | 0.49 | *** | *** | *** | *** | 0.95 | 1.19 | BH | BH | *** | |

Not Valid ***

Backhaul BH This page is maintained by Alan Matheson 920-6256. For fuel rates questions please call Winston Mavin at 920-7149