Foothills System – BC – Pricing & Tolls

Foothills BC Transportation Rates & Abandonment Surcharges

Preliminary 2026 Rates Effective January 1, 2026

Transportation Rates below do not include applicable Abandonment Surcharges

Information Purposes

| Service | Tariff Rate | AB/BC to Kingsgate | | |
|-----------------------------------|------------------------|--------------------|------------------|-------------------|
| FT Firm Service - Zone 8 | \$/GJ/km (Cdn) | ¢/GJ/d (Cdn) | ¢/Mcf/d (Cdn) | ¢/MMbtu/d (US) |
| FT Rate | 0.0273505436 (Monthly) | 15.3 | 16.4 | 11.7 |
| IT Interruptible Service - Zone 8 | | | | |
| IT Rate | 0.0009891155 (Daily) | 16.9 | 18.1 | 12.9 |

Aggregate charges for service will be determined in accordance with the Foothills Pipe Lines Gas Transportation Tariff and as such, shall include the applicable abandonment surcharge(s).

Preliminary 2026 Abandonment Surcharges Effective January 1, 2026

Abandonment surcharges are in addition to applicable Transportation Rates.

Information Purposes

| Abandonment Surcharges | Tariff Rate | All Transportation Services | | |
|-------------------------------|------------------------|-----------------------------|-------|---------|
| | \$/GJ | ¢/GJ | ¢/Mcf | ¢/MMbtu |
| | (Cdn) | (Cdn) | (Cdn) | (US) |
| Monthly Abandonment Surcharge | 0.1275526676 (Monthly) | 12.7 | 13.6 | 9.7 |
| Daily Abandonment Surcharge | 0.0041935124 (Daily) | 0.42 | 0.45 | 0.30 |

The services to which Abandonment Surcharges apply are denoted on the Foothills Pipe Lines Table of Effective Rates.

- 1. For information purposes, the maximum Shipper's Haul Distance used in the Shipper's monthly charge for Service calculation is 170.7 km.
- 2. Rates are payable in Canadian dollars and GJ units are used for billing purposes. Mcf and MMbtu units are provided for information purposes only.

3. Conversion Factors below have been used to calculate the rates provided for information purposes:

Cdn\$/US\$ 1.38 - subject to change (updated Sept 22, 2025)

¢/GJ to ¢/MMBtu x 1.055056

 ϕ/GJ to ϕ/Mcf at a heat value of 37.8 MJ/m³

- 4. All rates are based on 100 per cent load factor utilization. The IT rate is 110 per cent of the FT rate.
- 5. Rates do not include G.S.T.
- 6. Inquiries regarding the BC System may be directed to your Marketing Representative.