



TransCanada

Canadian Mainline Fuel Rates August 2003 inc Pressure

Fuel Ratio Including Pressure	Point From																												
	Point To	Empress	Bayhurst 1	Bayhurst 2	Chippawa	Consumers CDA	Consumers EDA	Conwall	East Hereford	Emerson 1	Emerson 2	Herbert	Iroquois	Kirkwall	Liebenthal	Niagara Falls	Richmond	SS. Marie	St. Clair	Steelman	STS Dawn	STS Emerson	STS Kirkwall	STS Parkway	Success	Suffield	Union Dawn	Union Parkway Belt	Welwyn
Bayhurst 1	0.66	***	BH	BH	***	***	BH	BH	BH	BH	BH	BH	BH	BH	BH	0.66	BH	BH	BH	***	***	***	***	BH	0.66	BH	BH	BH	
Centram MDA	1.17	1.12	1.12	BH	***	***	BH	BH	BH	BH	0.87	BH	BH	1.1	BH	1.16	BH	BH	0.57	***	0	***	***	0.96	1.16	BH	BH	0.22	
Centram SSDA	0.66	0.62	0.62	BH	***	***	BH	BH	BH	BH	0.36	BH	BH	0.59	BH	0.66	BH	BH	0.07	***	0	***	***	0.45	0.66	BH	BH	BH	
Centrat MDA	1.17	1.12	1.12	2.95	***	***	BH	BH	0.01	0.01	0.87	BH	2.77	1.1	2.94	1.16	1.77	2.44	0.57	***	***	***	***	0.96	1.16	2.48	2.83	0.22	
Chippawa	4.98	4.93	4.93	***	***	***	1.28	1.81	3.26	3.26	4.68	1.19	0.53	4.91	0.53	4.98	1.72	0.83	4.39	***	***	***	***	4.77	4.98	0.79	0.53	4.03	
Consumers CDA	4.4	4.36	4.36	0.05	***	***	0.48	1.03	2.71	2.71	4.11	0.42	0	4.34	0.04	4.4	1.17	0.28	3.81	***	***	0	0	4.19	4.4	0.25	0	3.46	
Consumers EDA	4.4	4.36	4.36	0.73	***	***	0	0.52	3.09	3.09	4.11	0	0.58	4.34	0.72	4.4	1.79	0.91	3.81	***	***	0.05	0.05	4.19	4.4	0.87	0.52	3.46	
Consumers SWDA	4.4	4.36	4.36	BH	***	***	0.86	1.42	2.26	2.26	4.11	0.8	BH	4.34	BH	4.4	0.72	0	3.81	***	***	***	***	4.19	4.4	BH	0.14	3.46	
Cornwall	4.58	4.53	4.53	0.72	***	***	***	BH	3.17	3.17	4.28	0	0.57	4.51	0.72	4.58	1.79	0.9	3.98	***	***	***	***	0.51	4.37	4.58	0.86	0.51	3.63
East Hereford	5.14	5.09	5.09	1.28	***	***	0.35	***	3.73	3.73	4.84	0.42	1.13	5.07	1.28	5.13	2.35	1.46	4.54	***	***	***	***	4.93	5.13	1.42	1.07	4.19	
Emerson 1	1.49	1.44	1.44	BH	***	***	3.28	3.84	***	0.11	1.19	3.24	BH	1.42	BH	1.48	BH	0.89	***	***	***	***	1.28	1.48	BH	2.72	0.54		
Emerson 2	1.49	1.44	1.44	BH	***	***	3.28	3.84	0.11	***	1.19	3.24	BH	1.42	BH	1.48	BH	0.89	***	***	***	***	1.28	1.48	BH	2.72	0.54		
Gladstone MDA	1.17	1.12	1.12	BH	***	***	BH	BH	BH	BH	0.87	BH	BH	1.1	BH	1.16	BH	BH	0.57	***	***	***	***	0.96	1.16	BH	BH	0.22	
GMIT EDA	4.4	4.36	4.36	0.87	***	***	0.05	0.25	3.44	3.44	4.11	0.13	0.84	4.34	0.98	4.4	2.05	1.16	3.81	***	***	***	***	0.78	4.19	4.4	1.13	0.78	3.46
GMIT NDA	3.44	3.39	3.39	0.76	***	***	0.71	1.27	2.29	2.29	3.14	0.66	0.61	3.37	0.76	3.43	1.83	0.94	2.84	***	***	***	***	0	3.23	3.43	0.9	0.55	2.49
Herbert	0.66	0.62	0.62	BH	***	***	BH	BH	BH	BH	***	BH	BH	0.59	BH	0.66	BH	BH	***	***	***	***	0.45	0.66	BH	BH	BH		
Iroquois	5.03	4.99	4.99	1.22	***	***	0.56	0.98	3.69	3.69	4.73	***	1.07	4.97	1.22	5.03	2.29	1.4	4.44	***	***	***	***	4.82	5.03	1.36	1.01	4.09	
KPUC EDA	4.4	4.36	4.36	0.47	***	***	0.04	0.6	3.08	3.08	4.11	0	0.32	4.34	0.47	4.4	1.54	0.65	3.81	***	***	***	***	0.26	4.19	4.4	0.61	0.26	3.46
Napierville	4.82	4.77	4.77	0.97	***	***	0.03	0.39	3.42	3.42	4.52	0.11	0.81	4.75	0.96	4.82	2.03	1.14	4.23	***	***	***	***	4.61	4.82	1.11	0.76	3.87	
Niagara Falls	4.45	4.4	4.4	0	***	***	0.75	1.28	2.72	2.72	4.15	0.66	0	4.38	***	4.44	1.18	0.29	3.85	***	***	***	***	4.24	4.44	0.26	0	3.5	
Philipsburg	4.85	4.8	4.8	0.99	***	***	0.06	0.42	3.44	3.44	4.55	0.14	0.84	4.78	0.99	4.85	2.06	1.17	4.25	***	***	***	***	0.78	4.64	4.85	1.13	0.78	3.9
Spruce	1.34	1.3	1.3	2.95	***	***	BH	BH	0.01	0.01	1.05	BH	2.77	1.28	2.94	1.34	1.77	2.44	0.75	***	***	***	***	1.13	1.34	2.48	2.83	0.4	
St. Clair	3.81	3.76	3.76	BH	***	***	0.9	1.46	2.22	2.22	3.51	0.84	BH	3.74	BH	3.8	***	3.21	***	***	***	***	3.6	3.8	BH	0.18	2.86		
TCPL NDA	3.44	3.39	3.39	1.08	***	***	BH	BH	1.94	1.94	3.14	BH	0.93	3.37	1.07	3.43	2.14	1.25	2.84	***	***	***	***	3.23	3.43	1.22	0.87	2.49	
TCPL WDA	2.14	2.09	2.09	1.99	***	***	BH	BH	1.02	1.02	1.84	BH	1.84	2.07	1.99	2.13	2.78	2.17	1.54	***	***	***	***	1.93	2.13	2.13	1.78	1.19	
TPLP NDA	3.44	3.39	3.39	1.48	***	***	BH	BH	1.54	1.54	3.14	BH	1.33	3.37	1.48	3.43	2.55	1.66	2.84	***	***	***	***	3.23	3.43	1.62	1.27	2.49	
Transgas SSDA	0.66	0.62	0.62	BH	***	***	BH	BH	BH	BH	0.36	BH	BH	0.59	BH	0.66	BH	BH	0.07	***	***	***	***	0.45	0.66	BH	BH	BH	
Union CDA	4.4	4.36	4.36	0	0	0.53	0.52	1.08	2.61	2.61	4.11	0.47	0	4.34	0	4.4	1.07	0.18	3.81	***	***	***	***	4.19	4.4	0.14	0	3.46	
Union EDA	4.4	4.36	4.36	0.49	***	***	0.02	0.58	3.06	3.06	4.11	0	0.34	4.34	0.49	4.4	1.54	0.67	3.81	***	***	0.27	4.19	4.4	0.63	0.28	3.46		
Union NCDA	4.4	4.36	4.36	0.29	***	***	0.64	1.19	2.73	2.73	4.11	0.58	0.14	4.34	0.28	4.4	1.34	0.47	3.81	***	***	0	4.19	4.4	0.43	0.08	3.46		
Union NDA	3.44	3.39	3.39	0.85	***	***	BH	BH	2.17	2.17	3.14	BH	0.7	3.37	0.84	3.43	1.92	1.02	2.84	***	***	0	3.23	3.43	0.99	0.64	2.49		
Union SSMDA	3.44	3.39	3.39	1.2	***	***	1.81	2.36	1.57	1.57	3.14	1.75	1.03	3.37	1.2	3.43	0	0.7	2.84	0	***	***	0	3.23	3.43	0.73	1.09	2.49	
Union SWDA	4.4	4.36	4.36	BH	***	***	0.88	1.44	2.24	2.24	4.11	0.82	BH	4.34	BH	4.4	0.7	0	3.81	***	***	***	***	4.19	4.4	BH	0.16	3.46	
Union WDA	2.14	2.09	2.09	2.29	***	***	BH	BH	0.79	0.79	1.84	BH	2.14	2.07	2.29	2.13	2.6	2.44	1.54	***	***	***	0	1.93	2.13	2.41	2.08	1.19	
Welwyn	0.66	0.62	0.62	BH	***	***	BH	BH	BH	BH	0.36	BH	BH	0.59	BH	0.66	BH	BH	0.07	***	***	***	0.45	0.66	BH	BH	***		

Backhaul BH This page is maintained by Francois Gignac 920-6845. For fuel rates questions please call Winston Marvin at 920-7149

Not Valid ***



TransCanada

TransCanada PipeLines Canadian Mainline Fuel Matrix, August 2003

Fuel Ratio(%)	Point From	Point To																											
		Empress	Bayhurst 1	Bayhurst 2	Chippawa	Consumers CDA	Consumers EDA	Cornwall	East Hereford	Emerson 1	Emerson 2	Herbert	Iroquois	Kirkwall	Liebenthal	Niagara Falls	Richmond	SS. Marie	St. Clair	Steelman	STS Dawn	STS Emerson	STS Kirkwall	STS Parkway	Success	Suffield	Union Dawn	Union Parkway Belt	Welwyn
Point To		Bayhurst 1	Bayhurst 1	Bayhurst 1	Chippawa	Consumers CDA	Consumers EDA	Cornwall	East Hereford	Emerson 1	Emerson 2	Herbert	Iroquois	Kirkwall	Liebenthal	Niagara Falls	Richmond	SS. Marie	St. Clair	Steelman	STS Dawn	STS Emerson	STS Kirkwall	STS Parkway	Success	Suffield	Union Dawn	Union Parkway Belt	Welwyn
Bayhurst 1	0.66	***	BHI	BHI	***	***	BHI	BHI	BHI	BHI	BHI	BHI	BHI	BHI	BHI	BHI	BHI	BHI	***	***	***	BHI	0.66	BHI	BHI	BHI	BHI		
Centram MDA	1.17	1.12	1.12	BHI	***	***	BHI	BHI	BHI	0.87	BHI	BHI	1.10	BHI	1.16	BHI	BHI	0.57	***	0.00	***	***	0.96	1.16	BHI	BHI	0.22		
Centram SSDA	0.66	0.62	0.62	BHI	***	***	BHI	BHI	BHI	0.36	BHI	0.59	BHI	0.66	BHI	BHI	0.07	***	0.00	***	***	0.45	0.66	BHI	BHI	BHI	BHI		
Centrat MDA	1.17	1.12	1.12	2.95	***	***	BHI	BHI	0.01	0.01	0.87	BHI	2.77	1.10	2.94	1.16	1.77	2.44	0.57	***	***	***	0.96	1.16	2.48	2.83	0.22		
Chippawa	4.45	4.40	4.40	***	***	0.75	1.28	2.73	2.73	4.15	0.66	0.00	4.38	0.00	4.45	1.19	0.30	3.86	***	***	***	4.24	4.45	0.26	0.00	3.50			
Consumers CDA	4.40	4.36	4.36	0.05	***	***	0.48	1.03	2.71	2.71	4.11	0.42	0.00	4.34	0.04	4.40	1.17	0.28	3.81	***	0.00	0.00	4.19	4.40	0.25	0.00	3.46		
Consumers EDA	4.40	4.36	4.36	0.73	***	***	0.00	0.52	3.09	3.09	4.11	0.00	0.58	4.34	0.72	4.40	1.79	0.91	3.81	***	0.05	0.05	4.19	4.40	0.87	0.52	3.46		
Consumers SWDA	4.40	4.36	4.36	BHI	***	***	0.86	1.42	2.26	2.26	4.11	0.80	BHI	4.34	BHI	4.40	0.72	0.00	3.81	***	***	4.19	4.40	BHI	0.14	3.46			
Cornwall	4.58	4.53	4.53	0.72	***	***	BHI	3.17	3.17	4.28	0.00	0.57	4.51	0.72	4.58	1.79	0.90	3.98	***	***	0.51	4.37	4.58	0.86	0.51	3.63			
East Hereford	5.14	5.09	5.09	1.28	***	0.35	***	3.73	3.73	4.84	0.42	1.13	5.07	1.28	5.13	2.35	1.46	4.54	***	***	***	4.93	5.13	1.42	1.07	4.19			
Emerson 1	1.38	1.33	1.33	BHI	***	***	3.17	3.73	***	0.00	1.08	3.13	BHI	1.31	BHI	1.37	BHI	BHI	0.78	***	***	***	1.17	1.37	BHI	2.61	0.43		
Emerson 2	1.38	1.33	1.33	BHI	***	***	3.17	3.73	0.00	***	1.08	3.13	BHI	1.31	BHI	1.37	BHI	BHI	0.78	***	***	***	1.17	1.37	BHI	2.61	0.43		
Gladstone MDA	1.17	1.12	1.12	BHI	***	***	BHI	BHI	BHI	0.87	BHI	BHI	1.10	BHI	1.16	BHI	BHI	0.57	***	***	***	0.96	1.16	BHI	BHI	0.22			
GMIT EDA	4.40	4.36	4.36	0.87	***	***	0.05	0.25	3.44	3.44	4.11	0.13	0.84	4.34	0.98	4.40	2.05	1.16	3.81	***	***	0.78	4.19	4.40	1.13	0.78	3.46		
GMIT NDA	3.44	3.39	3.39	0.76	***	***	0.71	1.27	2.29	2.29	3.14	0.66	0.61	3.37	0.76	3.43	1.83	0.94	2.84	***	***	0.00	0.00	3.23	3.43	0.90	0.55	2.49	
Herbert	0.66	0.62	0.62	BHI	***	***	BHI	BHI	BHI	***	BHI	BHI	0.59	BHI	0.66	BHI	BHI	BHI	***	***	***	0.45	0.66	BHI	BHI	BHI			
Iroquois	4.47	4.43	4.43	0.66	***	***	0.00	0.42	3.13	3.13	4.17	***	0.51	4.41	0.66	4.47	1.73	0.84	3.88	***	***	***	4.26	4.47	0.80	0.45	3.53		
KPUC EDA	4.40	4.36	4.36	0.47	***	***	0.04	0.60	3.08	3.08	4.11	0.00	0.32	4.34	0.47	4.40	1.54	0.65	3.81	***	***	0.26	4.19	4.40	0.61	0.26	3.46		
Napierville	4.82	4.77	4.77	0.97	***	***	0.03	0.39	3.42	3.42	4.52	0.11	0.81	4.75	0.96	4.82	2.03	1.14	4.23	***	***	***	4.61	4.82	1.11	0.76	3.87		
Niagara Falls	4.45	4.40	4.40	0.00	***	***	0.75	1.28	2.72	2.72	4.15	0.66	0.00	4.38	***	4.44	1.18	0.29	3.85	***	***	***	4.24	4.44	0.26	0.00	3.50		
Philipsburg	4.85	4.80	4.80	0.99	***	***	0.06	0.42	3.44	3.44	4.55	0.14	0.84	4.78	0.99	4.85	2.06	1.17	4.25	***	***	0.78	4.64	4.85	1.13	0.78	3.90		
Spruce	1.34	1.30	1.30	2.95	***	***	BHI	BHI	0.01	0.01	1.05	BHI	2.77	1.28	2.94	1.34	1.77	2.44	0.75	***	***	***	1.13	1.34	2.48	2.83	0.40		
St. Clair	3.81	3.76	3.76	BHI	***	***	0.90	1.46	2.22	2.22	3.51	0.84	BHI	3.74	BHI	3.80	***	3.21	***	***	***	3.60	3.80	BHI	0.18	2.86			
TCPL NDA	3.44	3.39	3.39	1.08	***	***	BHI	BHI	1.94	1.94	3.14	BHI	0.93	3.37	1.07	3.43	2.14	1.25	2.84	***	***	***	3.23	3.43	1.22	0.87	2.49		
TCPL WDA	2.14	2.09	2.09	1.99	***	***	BHI	BHI	1.02	1.02	1.84	BHI	1.84	2.07	1.99	2.13	2.78	2.17	1.54	***	***	***	1.93	2.13	2.13	1.78	1.19		
TPLP NDA	3.44	3.39	3.39	1.48	***	***	BHI	BHI	1.54	1.54	3.14	BHI	1.33	3.37	1.48	3.43	2.55	1.66	2.84	***	***	***	3.23	3.43	1.62	1.27	2.49		
Transgas SSDA	0.66	0.62	0.62	BHI	***	***	BHI	BHI	BHI	0.36	BHI	BHI	0.59	BHI	0.66	BHI	BHI	0.07	***	***	***	0.45	0.66	BHI	BHI	BHI			
Union CDA	4.40	4.36	4.36	0.00	0.00	0.53	0.52	1.08	2.61	2.61	4.11	0.47	0.00	4.34	0.00	4.40	1.07	0.18	3.81	***	***	***	4.19	4.40	0.14	0.00	3.46		
Union EDA	4.40	4.36	4.36	0.49	***	***	0.02	0.58	3.06	3.06	4.11	0.00	0.34	4.34	0.49	4.40	1.54	0.67	3.81	***	***	0.27	4.19	4.40	0.63	0.28	3.46		
Union NCDA	4.40	4.36	4.36	0.29	***	***	0.64	1.19	2.73	2.73	4.11	0.58	0.14	4.34	0.28	4.40	1.34	1.47	3.81	***	***	0.00	4.19	4.40	0.43	0.08	3.46		
Union NDA	3.44	3.39	3.39	0.85	***	***	BHI	BHI	2.17	2.17	3.14	BHI	0.70	3.37	0.84	3.43	1.92	1.02	2.84	***	***	0.00	3.23	3.43	0.99	0.64	2.49		
Union SSMDA	3.44	3.39	3.39	1.20	***	***	1.81	2.36	1.57	1.57	3.14	1.75	1.03	3.37	1.20	3.43	0.00	0.70	2.84	0.00	***	***	0.00	3.23	3.43	0.73	1.09	2.49	
Union SWDA	4.40	4.36	4.36	BHI	***	***	0.88	1.44	2.24	2.24	4.11	0.82	BHI	4.34	BHI	4.40	0.70	0.00	3.81	***	***	***	4.19	4.40	BHI	0.16	3.46		
Union WDA	2.14	2.09	2.09	2.29	***	***	BHI	BHI	0.79	0.79	1.84	BHI	2.14	2.07	2.29	2.13	2.60	2.44	1.54	***	***	0.00	1.93	2.13	2.41	2.08	1.19		
Welwyn	0.66	0.62	0.62	BHI	***	***	BHI	BHI	BHI	0.36	BHI	BHI	0.59	BHI	0.66	BHI	BHI	0.07	***	***	***	0.45	0.66	BHI	BHI	***			

This page is maintained by Francois Gignac 920-6845. For fuel rates questions, please call Winston Marvin at 920 7149

Pressure Fuel must be added at these points